# ((() CABLE HANDLING



TITLE:

Drum-Roll Drum Lifter

CODE:

SFX/ACC-DRUM-MINILIFT-1

**DESCRIPTION:** 

**Drum-Roll Minilift** 

**SUPPLIED AS:** 

**MINILIFT** 





























# CABLE HANDLING



#### **Product Specification**

#### **Technical Data**

Weight (kg)	101
Length (m)	1.55
Width (m)	0.8
Height (m)	1.3
Packaging	Carton
Load-bearing capacity	4000kg
Min drum diameter	650mm
Max drum diameter	1600mm
Max Reel Width	1000mm
Length of Drum Axle	1500mm
Delivery	Two side parts, one drum axle, set of 95mm centering nuts









enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23
















# **CABLE HANDLING**



#### **MORE INFORMATION:**



Max. load	4,000 k
Max. drum Ø	1,600 m
Min. drum Ø	650 m
A) Height	863 m
B) Depth	358 mi
C) Width	450 m
Length of drum axle	1,500 m
Max. drum width	1,000 m
Weight per site	40 k

ORDER NO.	
MINILIFT Set:	SFX/ACC-DRUM-MINILIFT-
<ul> <li>two side parts</li> </ul>	
<ul> <li>one drum axle</li> </ul>	
1,500 mm	
<ul> <li>one Set centering</li> </ul>	
cones Ø 95 mm	
ACCESSORIES	
Drum axle 1,850 mm	FX/ACC-DRUM-SPARE-AXLEL1850MINI-

Set centering cones Ø 140 mm SFX/ACC-DRUM-SPARE-CENTRECONES-LG









enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23









