Cable handling

TITLE:
Drum-Roll Cable Uncoiler

CODE:
SFX/ACC-DRUM-ORIGINAL-1

DESCRIPTION:
Drum-Roll Original

SUPPLIED AS:
ORIGINAL

FLAME-FLEX® Drum-Roll LUCKINS™ epim ELECTRICAL DISTRIBUTORS' ASSOCIATION BASEC KNX MEMBER cai CPR UKCA

Product Specification

Technical Data

Weight (kg)	7.5
Length (m)	0.6
Width (m)	0.34
Height (m)	0.105
Packaging	Carton
Load-bearing capacity	200kg
Weight Without Castors	7.5kg
Max Reel Width	520mm
Outer Dimensions (WxLxH)	550x530x100mm

MORE INFORMATION:

TECHNICAL DATA

Load-bearing capacity	200 kg
Roller gap	90, 150, 240, 300, 330 mm
Weight without castors	7.5 kg
Max. drum width	520 mm
Max. drum ⌀	1.200 mm
A) Width	550 mm
B) Length	530 mm
C) Height	100 mm

ORDER NO.

ORIGINAL	SFX/ACC-DRUM-ORIGINAL-1

ACCESSORIES

CASTORS (set = 4 pcs.)	SFX/ACC-DRUM-SPARE-CASTOR-4

FLAME-FLEX® Drum-Roll LUCKINS™ epim ELECTRICAL DISTRIBUTORS' ASSOCIATION BASEC KNX MEMBER cai CPR UKCA