

**TITLE:**

Drum-Roll Cable Uncoiler

CODE:


SFX/ACC-DRUM-RAIL-1

DESCRIPTION:

Drum-Roll Rail

SUPPLIED AS:

RAIL



enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23



Product Specification

Technical Data


Weight (kg)	18
Length (m)	0.92
Width (m)	0.395
Height (m)	0.17
Packaging	Carton
Max unwinding weight for wooden drums	700kg
Load-bearing capacity	1500kg
Min drum diameter	500mm
Max drum diameter	1400mm
Weight per element	9kg



enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23



MORE INFORMATION:



TECHNICAL DATA

Load-bearing capacity	1,500 kg
Max. uncoiling weight of wooden drums*	700 kg
Drum Ø	min. 500 mm max. 1,400 mm
A) Width	160 mm
B) Length	903 mm
C) Height	120 mm
Weight per element	9 kg

ORDER NO.

RAIL	SFX/ACC-DRUM-RAIL-1
------	---------------------

*Due to the condition of the wooden drum, which is very poor in places, we would like to remind you that the uncoiling weight of 700 kg should not be exceeded.



enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23