

NETWORK CABLE



TITLE:

Cat6a 4pr U/FTP

CODE:


SFX/C6A-UFTP-LSZH-D-PUR-1

DESCRIPTION:

1m (per metre) Category 6A, 4pr U/FTP Purple LSZH

SUPPLIED AS:

Per 1m Lengths































NETWORK CABLE



Product Specification

Cable Construction

CPR	Dca -s1 -a1 -d2
Conductor	Bare Copper
Conductor Diameter (mm)	0.565 ±0.005
Overall Diameter (mm)	6.80 ±0.50

Insulation

Insulation	PE
Insulation Colour	Blue/White/Blue;Orange/White/Orange;Green/White/Green;Brown/White/Brown
Insulation Thickness (mm)	0.36

Outer/Jacket Specification

Jacket	LSZH
Overall Colour	Purple
Overall Diameter (mm)	6.80 ±0.50
Jacket Colour	Purple RAL 4005
Jacket Thickness (mm)	0.50 ±0.05
Nylon Rip-Cord	White 210D

Electrical Characteristics

Max Conductor DC resistance @ 20°C	<93.8O/km
Rated Temperature (°C)	-40°C to 70°C

























MORE INFORMATION:

Sorry, no more information is available for this product









enquiries@securiflex.co.uk | www.securiflex.co.uk | 03333 44 66 23









